

# Cutting Quotations

Project: OFR06582 - Demo AI / Date: 12/02/2009  
 Delivery Date: 29/11/2007

Nb.	Code	Name	Quantity	Dimensions	1°	2°	C	D	Position
<b>Profiles</b>									
1	AL142-629-7034	Addition For Frame M/F	5 pcs	991.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.
2	AL154-560-7034	Sash Drainage Profile M/F	5 pcs	820.4 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.AB:Down
3	AL154-708-1003	Glazing Bead Straight 13,5 mm M/F	5 pcs	399.9 mm	117°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.A:Up
4	AL154-708-1003	Glazing Bead Straight 13,5 mm M/F	5 pcs	819.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.A:Lft
5	AL154-708-1003	Glazing Bead Straight 13,5 mm M/F	5 pcs	820.4 mm	90°	63°	<input type="checkbox"/>	<input type="checkbox"/>	01.A:Down
6	AL154-708-1003	Glazing Bead Straight 13,5 mm M/F	5 pcs	926.8 mm	63°	117°	<input type="checkbox"/>	<input type="checkbox"/>	01.A:Rght
7	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.B:Lft
8	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.A:Lft
9	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.A:Rght
10	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.C:Lft
11	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.B:Rght
12	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.C:Rght
13	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	824.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.E:Up
14	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	824.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.F:Down
15	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	824.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.E:Down
16	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	824.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.F:Up
17	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.C:Up
18	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.C:Down
19	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.G:Up
20	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.A:Up
21	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.D:Down
22	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.D:Up
23	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.G:Down
24	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.A:Down
25	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,729.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.F:Lft
26	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,729.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.E:Rght

Nb.	Code	Name	Quantity	Dimensions	1°	2°	C	D	Position
27	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,729.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.E:Lft
28	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,729.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.F:Right
29	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,833.4 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.D:Lft
30	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,833.4 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.D:Right
31	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,833.4 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.G:Lft
32	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,833.4 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.G:Right
33	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,970.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.B:Down
34	AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,970.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.B:Up
35	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	482.8 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.B:Down
36	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	482.8 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.A:Down
37	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	482.8 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.B:Up
38	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	482.8 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.A:Up
39	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	709.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.A:Down
40	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	709.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B:Down
41	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	709.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B:Up
42	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	709.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.A:Up
43	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	810.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.A:Lft
44	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	810.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.B:Lft
45	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	810.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.B:Right
46	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	810.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.A:Right
47	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	852.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.A:Right
48	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	852.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B:Right
49	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	852.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B:Lft
50	AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	852.1 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.A:Lft
51	AL254-110-1003	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	500.0 mm	58°	45°	<input type="checkbox"/>	<input type="checkbox"/>	01.Up
52	AL254-110-1003	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,000.0 mm	45°	32°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	01.Down
53	AL254-110-1003	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,000.0 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	01.Lft
54	AL254-110-1003	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,118.0 mm	32°	58°	<input type="checkbox"/>	<input type="checkbox"/>	01.Right
55	AL254-110-5015	Frame Curved 3Champ. 54mm X 27mm M/F	2 pcs	2,500.0 mm	45°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.Lft
56	AL254-110-5015	Frame Curved 3Champ. 54mm X 27mm M/F	2 pcs	2,500.0 mm	90°	45°	<input type="checkbox"/>	<input type="checkbox"/>	02.Right
57	AL254-110-5015	Frame Curved 3Champ. 54mm X 27mm M/F	2 pcs	4,000.0 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	02.Up
58	AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	900.0 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1:Up
59	AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	991.0 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2:Lft

Nb.	Code	Name	Quantity	Dimensions	1°	2°	C	D	Position
60	AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	991.0 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2:Right
61	AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,200.0 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2:Up
62	AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,200.0 mm	45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03.F2:Down
63	AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	2,000.0 mm	45°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1:Lft
64	AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	2,000.0 mm	90°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1:Right
65	AL254-211-1003	Sash Curved 68 mm M/F	5 pcs	463.9 mm	58°	45°	<input type="checkbox"/>	<input type="checkbox"/>	01.A:Up
66	AL254-211-1003	Sash Curved 68 mm M/F	5 pcs	941.6 mm	45°	32°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	01.A:Down
67	AL254-211-1003	Sash Curved 68 mm M/F	5 pcs	955.4 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	01.A:Lft
68	AL254-211-1003	Sash Curved 68 mm M/F	5 pcs	1,068.2 mm	32°	58°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	01.A:Right
69	AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	575.4 mm	45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03.F2.B:Down
70	AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	575.4 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.A:Up
71	AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	575.4 mm	45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03.F2.A:Down
72	AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	575.4 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.B:Up
73	AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	946.4 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.B:Right
74	AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	946.4 mm	45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	03.F2.A:Right
75	AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	946.4 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.A:Lft
76	AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	946.4 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.B:Lft
77	AL254-215-7034	Sash Curved 95 mm (6,5M) M/F	5 pcs	855.4 mm	45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03.F1.AB:Down
78	AL254-215-7034	Sash Curved 95 mm (6,5M) M/F	5 pcs	855.4 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.AB:Up
79	AL254-215-7034	Sash Curved 95 mm (6,5M) M/F	5 pcs	1,967.5 mm	45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	03.F1.AB:Right
80	AL254-215-7034	Sash Curved 95 mm (6,5M) M/F	5 pcs	1,967.5 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.AB:Lft
81	AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	987.7 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	02.E:Up
82	AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	987.7 mm	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	02.F:Up
83	AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	1,962.3 mm	45°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.F:Lft
84	AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	1,962.3 mm	45°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.E:Lft
85	AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	1,962.3 mm	90°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	02.E:Right
86	AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	1,962.3 mm	90°	45°	<input type="checkbox"/>	<input type="checkbox"/>	02.F:Right
87	AL254-301-5015	Mullion Straight 30 mm + Screw M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.AD:H
88	AL254-301-5015	Mullion Straight 30 mm + Screw M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.CG:H
89	AL254-301-5015	Mullion Straight 30 mm + Screw M/F	2 pcs	1,970.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.BEF:H
90	AL254-301-5015	Mullion Straight 30 mm + Screw M/F	2 pcs	2,472.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.BCEFG:V
91	AL254-301-5015	Mullion Straight 30 mm + Screw M/F	2 pcs	2,472.7 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.ABCDEFG:V
92	AL254-301-7034	Mullion Straight 30 mm + Screw M/F	5 pcs	709.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.AB:H
93	AL254-331-5015	Bottom Transom 130 mm M/F	2 pcs	824.7 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.E:Down
94	AL254-331-5015	Bottom Transom 130 mm M/F	2 pcs	824.7 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.F:Down
95	AL254-331-5015	Bottom Transom 130 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.Down
96	AL254-331-5015	Bottom Transom 130 mm M/F	2 pcs	957.7 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.Down
97	AL254-400-5015	Central Adapt.For Glass Straight M/F	2 pcs	1,944.8 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.EF:1
98	AL254-400-7034	Central Adapt.For Glass Straight M/F	5 pcs	911.4 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F2.AB:1
99	AL254-555-5015	Floor Threshold M/F	2 pcs	1,970.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.Down
100	AL254-555-7034	Floor Threshold M/F	5 pcs	845.4 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03.F1:Down
101	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
102	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
103	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
104	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
105	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
106	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B

Nb.	Code	Name	Quantity	Dimensions	1°	2°	C	D	Position
107	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
108	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
109	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
110	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
111	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
112	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
113	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
114	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
115	AL901-101-7034	Profil Pt Oblon	5 pcs	699.2 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.F1.B
<b>Hardware</b>									
116	AA212-002-02	Extension Rod (Ntiza) Ce White	5 pcs	1,451.8 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	03.
<b>Glass</b>									
117	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	5 pcs	820.4 mm x 862.8 mm			<input type="checkbox"/>	<input type="checkbox"/>	01.A
118	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	814.7 mm x 1,762.8 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.E
119	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	814.7 mm x 1,762.8 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.F
120	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	947.7 mm x 447.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.C
121	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	947.7 mm x 1,867.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.G
122	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	947.7 mm x 447.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.A
123	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	947.7 mm x 1,867.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.D
124	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	1,960.0 mm x 447.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.B
125	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	5 pcs	472.8 mm x 843.8 mm			<input type="checkbox"/>	<input type="checkbox"/>	03.F2.B
126	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	5 pcs	472.8 mm x 843.8 mm			<input type="checkbox"/>	<input type="checkbox"/>	03.F2.A
127	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	5 pcs	699.2 mm x 885.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	03.F1.A