






# Execution Plan

Project: OFR06582 - Demo AI / Date: 12/02/2009  
 Delivery Date: 29/11/2007

 <p>View inner. Opening inner.</p>	<b>Component : 01.F1</b>							
	Size:	1,000.0 mm x 1,000.0 mm						
	Profile System:	BLK Classic Thermo 254 / 1003						
	Hardware:	Balkan - AI - BLK - Ferestre (Makedoniki)						
	Glass:	GT Clar-Clar 4-14-4						
	Surface:					0.750	sqm	
	Quantity:					5	pcs	
	<b>Subcomponent Element :</b>							
	<b>Code</b>	<b>Description</b>	<b>Qty</b>	<b>Dimensions</b>	<b>1°</b>	<b>2°</b>	<b>Pos</b>	
	AL254-110-1003	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,000.0 mm	45°	45°	Lft	
	AL254-110-1003	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,000.0 mm	45°	32°	Down	
	AL254-110-1003	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,118.0 mm	32°	58°	Right	
AL254-110-1003	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	500.0 mm	58°	45°	Up		
	<b>Subcomponent Element : A</b>							
	<b>Code</b>	<b>Description</b>	<b>Qty</b>	<b>Dimensions</b>	<b>1°</b>	<b>2°</b>	<b>Pos</b>	
	AL254-211-1003	Sash Curved 68 mm M/F	5 pcs	955.4 mm	45°	45°	Lft	
	AL254-211-1003	Sash Curved 68 mm M/F	5 pcs	941.6 mm	45°	32°	Down	
	AL254-211-1003	Sash Curved 68 mm M/F	5 pcs	1,068.2 mm	32°	58°	Right	
AL254-211-1003	Sash Curved 68 mm M/F	5 pcs	463.9 mm	58°	45°	Up		
	<b>Subcomponent Element : A</b>							
	<b>Code</b>	<b>Description</b>	<b>Qty</b>	<b>Dimensions</b>	<b>1°</b>	<b>2°</b>	<b>Pos</b>	
	Cl-CI 4/16/4	GT Clar-Clar 4-14-4	5 pcs	820.4 x 862.8 mm				
	AL154-708-1003	Glazing Bead Straight 13,5 mm M/F	5 pcs	819.2 mm	90°	90°	Lft	
	AL154-708-1003	Glazing Bead Straight 13,5 mm M/F	5 pcs	820.4 mm	90°	63°	Down	
AL154-708-1003	Glazing Bead Straight 13,5 mm M/F	5 pcs	926.8 mm	63°	117°	Right		
AL154-708-1003	Glazing Bead Straight 13,5 mm M/F	5 pcs	399.9 mm	117°	90°	Up		

Hardware and Accessories						
Code	Description	Qty	Dimensions	1°	2°	
AA010-004-00	Gasket Pvc Expl No 4	14.972	m			
AA205-101-00	Gasket E.P.D.M. Prd For Blk Systems	34.291	m			
AA205-102-00	Gasket E.P.D.M. For Glass Prd For Blk System	14.972	m			
AF001-016-00	Corner Joint For Sash 26x15 (254 & 262)	20	pcs			
AF001-018-00	Corner Joint For Frame 20x15 (254 & 262)	20	pcs			
AF001-022-00	Corner Joint Addition+Screw 7x7(154&254)	40	pcs			
AF001-070-00	Alignment Corner For Frame-Sash(142&154)	40	pcs			
AF001-072-00	Alignment Corner For Sash (142&154)	20	pcs			
AF004-003-00	Central Gasket (254)	17.146	m			


M 01	Debitare unghi variabil	40	op				
M 08	Curatare manuala rame, gauri aerisire	20	op				
M 09	Curatare manuala cercevele, gauri aerisire	20	op				
M 10	Manopera feronerie	5	op				
M 11	Debitare baghete geam	40	op				
M 12	Manipulare profile /ml profil	40	op				
M 13	Manipulare baghete geam /ml profil	20	op				
M 14	Taiere geam /perimetru	5	op				
M 15	Lipire termopan	5	op				
M 16	Izolare termopan	5	op				
M 17	Pregatire, incarcare /ochi	5	op				
M 19	Fixare rama /perimetru	5	op				
M 20	Montare geam /geam	5	op				
M 21	Reglare feronerie /ccv	5	op				
M 24	Demontare tamplarie veche, mediu	5	op				
M 27	Manopera 1 min	5	op				
M 28	Debitare PVC - 1 capat	20	op				
M 29	Debitare PVC - 2 capete	40	op				
M 30	Lipire PVC - 1 capat	40	op				



View outer. Opening outer.


**Component : 02.Panou**

Size:	4,000.0 mm x 2,500.0 mm	
Profile System:	BLK Classic Thermo 254 / 5015	
Hardware:	Balkan - Al - BLK - Usa de Exterior (Makedoniki)	
Glass:	GT Clar-Clar 4-14-4	
Surface:	10.000	sqm
Quantity:	2	pcs




**Subcomponent Element :**

Code	Description	Qty	Dimensions	1°	2°	Pos
AL254-110-5015	Frame Curved 3Champ. 54mm X 27mm M/F	2 pcs	2,500.0 mm	45°	90°	Lft
AL254-331-5015	Bottom Transom 130 mm M/F	2 pcs	957.7 mm	90°	90°	Down
AL254-555-5015	Floor Threshold M/F	2 pcs	1,970.0 mm	90°	90°	Down
AL254-331-5015	Bottom Transom 130 mm M/F	2 pcs	957.7 mm	90°	90°	Down
AL254-110-5015	Frame Curved 3Champ. 54mm X 27mm M/F	2 pcs	2,500.0 mm	90°	45°	Right
AL254-110-5015	Frame Curved 3Champ. 54mm X 27mm M/F	2 pcs	4,000.0 mm	45°	45°	Up
AL254-301-5015	Mullion Straight 30 mm + Screw M/F	4 pcs	2,472.7 mm	90°	90°	V,V
AL254-301-5015	Mullion Straight 30 mm + Screw M/F	2 pcs	957.7 mm	90°	90°	H
AL254-301-5015	Mullion Straight 30 mm + Screw M/F	2 pcs	1,970.0 mm	90°	90°	H
AL254-301-5015	Mullion Straight 30 mm + Screw M/F	2 pcs	957.7 mm	90°	90°	H




**Subcomponent Element : A**

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	947.7 x 447.7 mm			
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	Lft
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	Down
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	Right
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	Up




**Subcomponent Element : B**

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	1,960.0 x 447.7 mm			
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	Lft
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,970.0 mm	90°	90°	Down
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	Right
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,970.0 mm	90°	90°	Up



**Subcomponent Element : C**

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	947.7 x 447.7 mm			
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	Lft
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	Down
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	414.1 mm	90°	90°	Right
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	Up



**Subcomponent Element : D**


Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	947.7 x 1,867.0 mm			
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,833.4 mm	90°	90°	Lft
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	Down
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,833.4 mm	90°	90°	Right
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	Up

Subcomponent Element : E							
Code	Description	Qty	Dimensions	1°	2°	Pos	
AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	1,962.3 mm	45°	90°	Lft	
AL254-331-5015	Bottom Transom 130 mm M/F	2 pcs	824.7 mm	90°	90°	Down	
AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	1,962.3 mm	90°	45°	Rght	
AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	987.7 mm	45°	45°	Up	
Subcomponent Element : E							
Code	Description	Qty	Dimensions	1°	2°	Pos	
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	814.7 x 1,762.8 mm				
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,729.2 mm	90°	90°	Lft	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	824.7 mm	90°	90°	Down	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,729.2 mm	90°	90°	Rght	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	824.7 mm	90°	90°	Up	
Subcomponent Element : EF							
Code	Description	Qty	Dimensions	1°	2°	Pos	
AL254-400-5015	Central Adapt.For Glass Straight M/F	2 pcs	1,944.8 mm	90°	90°	1	
Subcomponent Element : F							
Code	Description	Qty	Dimensions	1°	2°	Pos	
AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	1,962.3 mm	45°	90°	Lft	
AL254-331-5015	Bottom Transom 130 mm M/F	2 pcs	824.7 mm	90°	90°	Down	
AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	1,962.3 mm	90°	45°	Rght	
AL254-245-5015	Sash Outside 103 mm M/F	2 pcs	987.7 mm	45°	45°	Up	
Subcomponent Element : F							
Code	Description	Qty	Dimensions	1°	2°	Pos	
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	814.7 x 1,762.8 mm				
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,729.2 mm	90°	90°	Lft	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	824.7 mm	90°	90°	Down	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,729.2 mm	90°	90°	Rght	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	824.7 mm	90°	90°	Up	
Subcomponent Element : G							
Code	Description	Qty	Dimensions	1°	2°	Pos	
CI-CI 4/16/4	GT Clar-Clar 4-14-4	2 pcs	947.7 x 1,867.0 mm				
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,833.4 mm	90°	90°	Lft	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	Down	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	1,833.4 mm	90°	90°	Rght	
AL154-708-5015	Glazing Bead Straight 13,5 mm M/F	2 pcs	957.7 mm	90°	90°	Up	

#### Hardware and Accessories

Code	Description	Qty	Dimensions	1°	2°
AA010-004-00	Gasket Pvc Expl No 4	63.932	m		
AA101-012-00	Lock Rolling 35 mm FF (No Cylinder)	2	pcs		
AA102-031-00	Cylinder 80 mm Cisa Logo Line	2	pcs		
AA103-005-00	Striking Plate	2	pcs		
AA105-372-00	Latch (Sirtis)For Tilt-Turn Ce Fap(3720)	4	pcs		
AA106-009-00	Nest Metalic Single Ce Mak (AA-1-1700)	4	pcs		
AA113-003-02	Hinge Triple Ce Mak (10S) Black	12	pcs		
AA114-364-02	Handle Big 360 mm/4 Mak Black	2	pcs		
AA205-101-00	Gasket E.P.D.M. Prd For Blk Systems	39.298	m		
AA205-102-00	Gasket E.P.D.M. For Glass Prd For Blk System	63.932	m		
AA214-001-02	Rosette Axion Black	4	pcs		
AF001-016-00	Corner Joint For Sash 26x15 (254 & 262)	8	pcs		


AF001-018-00	Corner Joint For Frame 20x15 (254 & 262)	4	pcs				
AF001-022-00	Corner Joint Addition+Screw 7x7(154&254)	12	pcs				
AF001-070-00	Alignment Corner For Frame-Sash(142&154)	12	pcs				
AF001-072-00	Alignment Corner For Sash (142&154)	8	pcs				
AF002-007-00	Addition For Sash 26x23 (254 & 262)	8	pcs				
AF004-003-00	Central Gasket (254)	19.649	m				
AF004-005-00	Gasket E.P.D.M. For Bottom Rail	7.130	m				
AF005-015-02	Plug For Centr.Adaptor Str.(254-400) Black	2	per				
AY005-027-00	Screws Internal Square 10x1 1/2	40	pcs				
M 06	Frezare inversor (montant orb) si fixare	4	op				
M 08	Curatare manuala rame, gauri aerisire	6	op				
M 09	Curatare manuala cercevele, gauri aerisire	12	op				
M 10	Manopera feronerie	8	op				
M 11	Debitare baghete geam	112	op				
M 12	Manipulare profile /ml profil	40	op				
M 13	Manipulare baghete geam /ml profil	56	op				
M 14	Taiere geam /perimetru	14	op				
M 15	Lipire termopan	14	op				
M 16	Izolare termopan	14	op				
M 17	Pregatire, incarcare /ochi	2	op				
M 19	Fixare rama /perimetru	2	op				
M 20	Montare geam /geam	14	op				
M 21	Reglare feronerie /ccv	4	op				
M 24	Demontare tamplarie veche, mediu	2	op				
M 27	Manopera 1 min	2	op				
M 28	Debitare PVC - 1 capat	56	op				
M 29	Debitare PVC - 2 capete	28	op				
M 30	Lipire PVC - 1 capat	12	op				
M 34	Frezare montant si fixare	10	op				
M 35	Frezare bandou si fixare	8	op				



View inner. Opening inner.

**Component : 03.F+U**


Size:	900.0 mm x 2,000.0 mm; 1,200.0 mm x 991.0 mm	
Profile System:	BLK Classic Thermo 254 / 7034	
Hardware:	Balkan - Al - BLK - Usi Interior (Makedoniki)	
Glass:	GT Clar-Clar 4-14-4	
Surface:	2.989	sqm
Quantity:	5	pcs



View inner. Opening inner.


**Subcomponent: F1**

Size:	900.0 mm x 2,000.0 mm	
Profile System:	BLK Classic Thermo 254 / 7034	
Hardware:	Balkan - Al - BLK - Usi Interior (Makedoniki)	
Glass:	CI-CI 4/16/4	
Surface:	1.8	sqm
Quantity:	5	pcs



**Subcomponent Element : F1**

Code	Description	Qty	Dimensions	1°	2°	Pos
AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	2,000.0 mm	45°	90°	Lft
AL254-555-7034	Floor Threshold M/F	5 pcs	845.4 mm	90°	90°	Down
AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	2,000.0 mm	90°	45°	Right
AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	900.0 mm	45°	45°	Up




**Subcomponent Element : F1.A**

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	5 pcs	699.2 x 885.7 mm			
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	852.1 mm	90°	90°	Lft
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	709.2 mm	90°	90°	Down
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	852.0 mm	90°	90°	Right
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	709.2 mm	90°	90°	Up




**Subcomponent Element : F1.AB**

Code	Description	Qty	Dimensions	1°	2°	Pos
AL254-215-7034	Sash Curved 95 mm (6,5M) M/F	5 pcs	1,967.5 mm	45°	45°	Lft
AL254-215-7034	Sash Curved 95 mm (6,5M) M/F	5 pcs	855.4 mm	45°	45°	Down
AL154-560-7034	Sash Drainage Profile M/F	5 pcs	820.4 mm	90°	90°	Down
AL254-215-7034	Sash Curved 95 mm (6,5M) M/F	5 pcs	1,967.5 mm	45°	45°	Right
AL254-215-7034	Sash Curved 95 mm (6,5M) M/F	5 pcs	855.4 mm	45°	45°	Up
AL254-301-7034	Mullion Straight 30 mm + Screw M/F	5 pcs	709.2 mm	90°	90°	H



**Subcomponent Element : F1.B**


Code	Description	Qty	Dimensions	1°	2°	Pos
AL901-101-7034	Profil Pt Oblon	75 pcs	699.2 mm	90°	90°	
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	852.1 mm	90°	90°	Lft
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	709.2 mm	90°	90°	Down
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	852.1 mm	90°	90°	Right
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	709.2 mm	90°	90°	Up



View inner. Opening inner.


**Subcomponent: F2**

Size:	1,200.0 mm x 991.0 mm	
Profile System:	BLK Classic Thermo 254 / 7034	
Hardware:	Balkan - Al - BLK - Usi Interior (Makedoniki)	
Glass:	Cl-Cl 4/16/4	
Surface:	1.1892	sqm
Quantity:	5	pcs




**Subcomponent Element : F2**

Code	Description	Qty	Dimensions	1°	2°	Pos
AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	991.0 mm	45°	45°	Lft
AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,200.0 mm	45°	45°	Down
AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	991.0 mm	45°	45°	Rght
AL254-110-7034	Frame Curved 3Champ. 54mm X 27mm M/F	5 pcs	1,200.0 mm	45°	45°	Up




**Subcomponent Element : F2.A**

Code	Description	Qty	Dimensions	1°	2°	Pos
AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	946.4 mm	45°	45°	Lft
AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	575.4 mm	45°	45°	Down
AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	946.4 mm	45°	45°	Rght
AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	575.4 mm	45°	45°	Up




**Subcomponent Element : F2.A**

Code	Description	Qty	Dimensions	1°	2°	Pos
Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	5 pcs	472.8 x 843.8 mm			
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	810.2 mm	90°	90°	Lft
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	482.8 mm	90°	90°	Down
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	810.2 mm	90°	90°	Rght
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	482.8 mm	90°	90°	Up




**Subcomponent Element : F2.AB**

Code	Description	Qty	Dimensions	1°	2°	Pos
AL254-400-7034	Central Adapt.For Glass Straight M/F	5 pcs	911.4 mm	90°	90°	1




**Subcomponent Element : F2.B**

Code	Description	Qty	Dimensions	1°	2°	Pos
AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	946.4 mm	45°	45°	Lft
AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	575.4 mm	45°	45°	Down
AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	946.4 mm	45°	45°	Rght
AL254-211-7034	Sash Curved 68 mm M/F	5 pcs	575.4 mm	45°	45°	Up




**Subcomponent Element : F2.B**

Code	Description	Qty	Dimensions	1°	2°	Pos
Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	5 pcs	472.8 x 843.8 mm			
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	810.2 mm	90°	90°	Lft
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	482.8 mm	90°	90°	Down
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	810.2 mm	90°	90°	Rght
AL154-708-7034	Glazing Bead Straight 13,5 mm M/F	5 pcs	482.8 mm	90°	90°	Up


**Subcomponent: J1**

Size:	
Profile System:	
Hardware:	
Glass:	
Surface:	0 sqm
Quantity:	5 pcs


**Subcomponent Element : J1**

Code	Description	Qty	Dimensions	1°	2°	Pos
AL142-629-7034	Addition For Frame M/F	5 pcs	991.0 mm	90°	90°	

**Hardware and Accessories**

Code	Description	Qty	Dimensions	1°	2°
AA010-004-00	Gasket Pvc Expl No 4	42.181 m			
AA101-054-00	Lock 35 mm Cisa Logo Line (No Cylinder)	5 pcs			
AA102-031-00	Cylinder 80 mm Cisa Logo Line	5 pcs			
AA103-007-00-01	Striking Plate Adjustable Secura	5 pcs			
AA104-640-02	Handle For Door Lav (640) Black	5 pcs			
AA105-002-00	Latch (Sirtis) Lav (505)	5 pcs			
AA109-049-02	Tilt-Turn Without Arm Mak (510) Black	5 pcs			
AA109-050-00	Arm For Tilt-Turn Mak (510) No1 Short	5 pcs			
AA113-003-02	Hinge Triple Ce Mak (10S) Black	15 pcs			
AA113-010-02	Hinge Ce Mak (M10) Black	10 pcs			
AA205-101-00	Gasket E.P.D.M. Prd For Blk Systems	117.330 m			
AA205-102-00	Gasket E.P.D.M. For Glass Prd For Blk System	42.181 m			
AA212-002-02	Extension Rod (Ntiza) Ce White	5 pcs	1,451.8 mm	90°	90°
AA214-001-02	Rosette Axion Black	10 pcs			
AF001-016-00	Corner Joint For Sash 26x15 (254 & 262)	60 pcs			
AF001-018-00	Corner Joint For Frame 20x15 (254 & 262)	30 pcs			
AF001-022-00	Corner Joint Addition+Screw 7x7(154&254)	90 pcs			
AF001-070-00	Alignment Corner For Frame-Sash(142&154)	90 pcs			
AF001-072-00	Alignment Corner For Sash (142&154)	60 pcs			
AF002-005-00	Addition For Sash 26x27 (254 & 262)	20 pcs			
AF004-003-00	Central Gasket (254)	58.665 m			
AF005-015-02	Plug For Centr.Adaptor Str.(254-400) Black	5 per			
AY005-027-00	Screws Internal Square 10x1 1/2	20 pcs			
M 06	Frezare inversor (montant orb) si fixare	10 op			
M 08	Curatare manuala rame, gauri aerisire	35 op			
M 09	Curatare manuala cercevele, gauri aerisire	60 op			
M 10	Manopera feronerie	25 op			
M 11	Debitare baghete geam	160 op			
M 12	Manipulare profile /ml profil	195 op			
M 13	Manipulare baghete geam /ml profil	80 op			
M 14	Taiere geam /perimetru	15 op			
M 15	Lipire termopan	15 op			
M 16	Izolare termopan	15 op			
M 17	Pregatire, incarcare /ochi	10 op			

M 19	Fixare rama /perimetru	10	op				
M 20	Montare geam /geam	15	op				
M 21	Reglare feronerie /ccv	15	op				
M 24	Demontare tamplarie veche, mediu	10	op				
M 26	Cuplare ferestre /ml elem.cuplaj	5	op				
M 27	Manopera 1 min	10	op				
M 28	Debitare PVC - 1 capat	80	op				
M 29	Debitare PVC - 2 capete	100	op				
M 30	Lipire PVC - 1 capat	90	op				
M 34	Frezare montant si fixare	5	op				