







Execution Plan

Project: OFR06581 - Demo PVC / Date: 12/02/2009
 Delivery Date: 27/02/2009

 <p>View inner. Opening inner.</p>	Component : 01.F1						
	Size:	1,200.0 mm x 1,450.0 mm					
Profile System:	S 2500 / Alb - Alb						
Hardware:	Balkan - PVC - G-U Uni-Jet Ferestre						
Glass:	GT Clar-Clar 4-14-4						
Surface:						2.472	sqm
Quantity:						1	pcs
	Subcomponent Element :						
	Code	Description	Qty	Dimensions	1°	2°	Pos
	FP001-004-0000	Toc 5 Camere, 65 mm	1 pcs	1,456.0 mm	45°	45°	Lft
	FP006-009-00	Armatura Toc	1 pcs	1,340.0 mm	90°	90°	Lft
	FP001-004-0000	Toc 5 Camere, 65 mm	1 pcs	1,206.0 mm	45°	45°	Down
	FP006-009-00	Armatura Toc	1 pcs	1,090.0 mm	90°	90°	Down
	FP001-004-0000	Toc 5 Camere, 65 mm	1 pcs	1,456.0 mm	45°	45°	Rght
	FP006-009-00	Armatura Toc	1 pcs	1,340.0 mm	90°	90°	Rght
	FP001-004-0000	Toc 5 Camere, 65 mm	1 pcs	1,206.0 mm	45°	45°	Up
	FP006-009-00	Armatura Toc	1 pcs	1,090.0 mm	90°	90°	Up
	FP003-002-0000	Montant 5 Camere 74 mm	1 pcs	1,374.0 mm	90°	90°	V
	FP006-010-00	Armatura Montant 74 mm	1 pcs	1,340.0 mm	90°	90°	V
	Subcomponent Element : A						
	Code	Description	Qty	Dimensions	1°	2°	Pos
	CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	528.0 x 1,350.0 mm			
	FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	1,360.0 mm	45°	45°	Lft
	FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	538.0 mm	45°	45°	Down
	FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	1,360.0 mm	45°	45°	Rght
	Subcomponent Element : B						
	Code	Description	Qty	Dimensions	1°	2°	Pos
	FP002-004-0000	Canat 5 Camere 83 mm	1 pcs	1,382.0 mm	45°	45°	Lft
	FP006-008-00	Armatura Toc/Cercevea	1 pcs	1,230.0 mm	90°	90°	Lft
	FP002-004-0000	Canat 5 Camere 83 mm	1 pcs	560.0 mm	45°	45°	Down
	FP006-008-00	Armatura Toc/Cercevea	1 pcs	408.0 mm	90°	90°	Down
	FP002-004-0000	Canat 5 Camere 83 mm	1 pcs	1,382.0 mm	45°	45°	Rght
	FP006-008-00	Armatura Toc/Cercevea	1 pcs	1,230.0 mm	90°	90°	Rght
FP002-004-0000	Canat 5 Camere 83 mm	1 pcs	560.0 mm	45°	45°	Up	
FP006-008-00	Armatura Toc/Cercevea	1 pcs	408.0 mm	90°	90°	Up	


Subcomponent Element : B

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	418.0 x 1,240.0 mm			
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	1,250.0 mm	45°	45°	Lft
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	428.0 mm	45°	45°	Down
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	1,250.0 mm	45°	45°	Right
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	428.0 mm	45°	45°	Up


Subcomponent Element : C

Code	Description	Qty	Dimensions	1°	2°	Pos
A3115 a	Profil PVC	1 pcs	1,282.0 mm	90°	90°	Lft
A3115 a	Profil PVC	1 pcs	480.0 mm	90°	90°	Down
A3115 a	Profil PVC	1 pcs	1,282.0 mm	90°	90°	Right
A3115 a	Profil PVC	1 pcs	480.0 mm	90°	90°	Up



Subcomponent Element : C

Code	Description	Qty	Dimensions	1°	2°	Pos
52120	Plasa Insecte 120 cm	1 pcs	470.0 x 1,272.0 mm			

Hardware and Accessories

Code	Description	Qty	Dimensions	1°	2°
501	Coltari	4 pcs			
502	Balama	2 pcs			
503	Inchizator	1 pcs			
504	Maner	1 pcs			
FA001-036-00	Mechanism Tilt. 15 mm 951-1450 Mv1U-Jet G-U	1 pcs			
FA001-040-00	Lock Bolt For Open. 951-2450 U-Jet G-U	1 pcs			
FA002-014-00	Stay Arm Connec. Plate 501-750 U-Jet G-U	1 pcs			
FA002-020-00	Stay Arm Left 501-750 U-Jet G-U	1 pcs			
FA003-010-01	Cover For Lower Hinge For Frame G-U White	1 pcs			
FA003-011-01	Cover For Lower Hinge (Left) Sash G-U White	1 pcs			
FA003-013-01	Cover For Upper Hinge Frame U-Jet G-U White	1 pcs			
FA003-014-01	Cover For Stay Arm Hinge U-Jet G-U White	1 pcs			
FA003-015-01	Cover Drainage Hole (6000) Wym White	2 pcs			
FA007-019-00	Striker For Tilt. Left Wymar 2500 G-U	1 pcs			
FA007-022-00	Striker Standard Wymar 2500 G-U	4 pcs			
FA008-013-01	Balama inferioara toc, alba	1 pcs			
FA008-015-00	Lower Hinge For Sash Left U-Jet G-U	1 pcs			
FA008-017-00	Upper Stay Arm Hinge With Axle U-Jet G-U	1 pcs			
FA010-004-00	Corner Transmission Mv1U-Jet Mushroom Gu	1 pcs			
FA012-008-00	Center Lock 1101-1350 L740 U-Jet G-U	1 pcs			
FA013-005-01	Handle D/K F G-U White	1 pcs			
FA014-005-00	Fixing Screw For Window Pvc(Ra-7,5 x 120)	5 pcs			
FA014-009-00	Countersunk Screw For Dirigent (M-5X40)	2 pcs			
FA014-025-00	Self Drilling Screw (A-3,9 x 16)	28 pcs			
FA016-002-02	Glass Support For 2500 7Mm(6300)Wym Black	10 pcs			
FA017-006-01-01	Joint Mech. For 2510 (6955) Wym White	2 pcs			
M 03	Debitare armatura	18 op			
M 04	Fixare armatura	9 op			
M 08	Curatare manuala rame, gauri aerisire	4 op			
M 09	Curatare manuala cercevele, gauri aerisire	4 op			
M 10	Manopera feronerie	3 op			
M 11	Debitare baghete geam	16 op			


M 12	Manipulare profile /ml profil	22	op				
M 13	Manipulare baghete geam /ml profil	8	op				
M 14	Taiere geam /perimetru	3	op				
M 15	Lipire termopan	3	op				
M 16	Izolare termopan	3	op				
M 17	Pregatire, incarcare /ochi	1	op				
M 19	Fixare rama /perimetru	1	op				
M 20	Montare geam /geam	3	op				
M 21	Reglare feronerie /ccv	2	op				
M 24	Demontare tamplarie veche, mediu	1	op				
M 27	Manopera 1 min	1	op				
M 28	Debitare PVC - 1 capat	8	op				
M 29	Debitare PVC - 2 capete	13	op				
M 30	Lipire PVC - 1 capat	8	op				
M 34	Frezare montant si fixare	5	op				
SPUMA	Spuma	0.9	tub				



View inner. Opening inner.


Component : 02.F2

Size:	1,600.0 mm x 1,200.0 mm	
Profile System:	S 2500 / Mahon - Mahon	
Hardware:	Balkan - PVC - G-U Uni-Jet Ferestre	
Glass:	GT Clar-Clar 4-14-4	
Surface:	1.920	sqm
Quantity:	7	pcs




Subcomponent Element :

Code	Description	Qty	Dimensions	1°	2°	Pos
FP001-004-3122	Toc 5 Camere, 65 mm	7 pcs	1,206.0 mm	45°	45°	Lft
FP006-009-00	Armatura Toc	7 pcs	1,090.0 mm	90°	90°	Lft
FP001-004-3122	Toc 5 Camere, 65 mm	7 pcs	1,606.0 mm	45°	45°	Down
FP006-009-00	Armatura Toc	7 pcs	1,490.0 mm	90°	90°	Down
FP001-004-3122	Toc 5 Camere, 65 mm	7 pcs	1,206.0 mm	45°	45°	Rght
FP006-009-00	Armatura Toc	7 pcs	1,090.0 mm	90°	90°	Rght
FP001-004-3122	Toc 5 Camere, 65 mm	7 pcs	1,606.0 mm	45°	45°	Up
FP006-009-00	Armatura Toc	7 pcs	1,490.0 mm	90°	90°	Up
FP003-002-3122	Montant 5 Camere 74 mm	7 pcs	1,124.0 mm	90°	90°	V
FP006-010-00	Armatura Montant 74 mm	7 pcs	1,090.0 mm	90°	90°	V
FP003-002-3122	Montant 5 Camere 74 mm	7 pcs	1,124.0 mm	90°	90°	V
FP006-010-00	Armatura Montant 74 mm	7 pcs	1,090.0 mm	90°	90°	V




Subcomponent Element : A

Code	Description	Qty	Dimensions	1°	2°	Pos
FP002-004-3122	Canat 5 Camere 83 mm	7 pcs	1,132.0 mm	45°	45°	Lft
FP006-008-00	Armatura Toc/Cercevea	7 pcs	980.0 mm	90°	90°	Lft
FP002-004-3122	Canat 5 Camere 83 mm	7 pcs	539.3 mm	45°	45°	Down
FP006-008-00	Armatura Toc/Cercevea	7 pcs	387.3 mm	90°	90°	Down
FP002-004-3122	Canat 5 Camere 83 mm	7 pcs	1,132.0 mm	45°	45°	Rght
FP006-008-00	Armatura Toc/Cercevea	7 pcs	980.0 mm	90°	90°	Rght
FP002-004-3122	Canat 5 Camere 83 mm	7 pcs	539.3 mm	45°	45°	Up
FP006-008-00	Armatura Toc/Cercevea	7 pcs	387.3 mm	90°	90°	Up




Subcomponent Element : A

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	7 pcs	397.3 x 990.0 mm			
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	1,000.0 mm	45°	45°	Lft
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	407.3 mm	45°	45°	Down
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	1,000.0 mm	45°	45°	Rght
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	407.3 mm	45°	45°	Up




Subcomponent Element : B

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	7 pcs	397.3 x 1,100.0 mm			
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	1,110.0 mm	45°	45°	Lft
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	407.3 mm	45°	45°	Down
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	1,110.0 mm	45°	45°	Rght
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	407.3 mm	45°	45°	Up


Subcomponent Element : C

Code	Description	Qty	Dimensions	1°	2°	Pos
FP002-004-3122	Canat 5 Camere 83 mm	7 pcs	1,132.0 mm	45°	45°	Lft
FP006-008-00	Armatura Toc/Cercevea	7 pcs	980.0 mm	90°	90°	Lft
FP002-004-3122	Canat 5 Camere 83 mm	7 pcs	539.3 mm	45°	45°	Down
FP006-008-00	Armatura Toc/Cercevea	7 pcs	387.3 mm	90°	90°	Down
FP002-004-3122	Canat 5 Camere 83 mm	7 pcs	1,132.0 mm	45°	45°	Right
FP006-008-00	Armatura Toc/Cercevea	7 pcs	980.0 mm	90°	90°	Right
FP002-004-3122	Canat 5 Camere 83 mm	7 pcs	539.3 mm	45°	45°	Up
FP006-008-00	Armatura Toc/Cercevea	7 pcs	387.3 mm	90°	90°	Up



Subcomponent Element : C

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	7 pcs	397.3 x 990.0 mm			
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	1,000.0 mm	45°	45°	Lft
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	407.3 mm	45°	45°	Down
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	1,000.0 mm	45°	45°	Right
FP005-005-3112	Bagheta ornamentala pt g.t. de 24 mm	7 pcs	407.3 mm	45°	45°	Up

Hardware and Accessories

Code	Description	Qty	Dimensions	1°	2°
FA001-025-00	Mechanism Open. 15 mm 1001-1100 G-U	7 pcs			
FA001-035-00	Mechanism Tilt. 15 mm 751-1200 Mv1U-Jet G-U	7 pcs			
FA001-040-00	Lock Bolt For Open. 951-2450 U-Jet G-U	7 pcs			
FA002-013-00	Stay Arm Connec. Plate 280-500 U-Jet G-U	7 pcs			
FA002-019-00	Stay Arm Right 280-500 U-Jet G-U	7 pcs			
FA003-010-03	Cover For Lower Hinge For Frame G-U Brown	14 pcs			
FA003-011-03	Cover For Lower Hinge Left Sash G-U Brown	7 pcs			
FA003-012-03	Cover For Lower Hinge Right Sash G-U Brown	7 pcs			
FA003-013-03	Cover For Upper Hinge Frame U-Jet G-U Brown	14 pcs			
FA003-014-03	Cover For Stay Arm Hinge U-Jet G-U Brown	14 pcs			
FA003-015-03	Cover Drainage Hole (6000) Wym Brown	14 pcs			
FA007-020-00	Striker For Tilt. Right Wymar 2501 G-U	7 pcs			
FA007-022-00	Striker Standard Wymar 2500 G-U	35 pcs			
FA008-013-03	Lower Corner Hinge 6 mm For Frame G-U Br	14 pcs			
FA008-015-00	Lower Hinge For Sash Left U-Jet G-U	7 pcs			
FA008-016-00	Lower Hinge For Sash Right U-Jet G-U	7 pcs			
FA008-017-00	Upper Stay Arm Hinge With Axle U-Jet G-U	14 pcs			
FA008-022-00	Side Hung Sash Hinge U-Jet G-U	7 pcs			
FA010-004-00	Corner Transmission Mv1U-Jet Mushroom Gu	7 pcs			
FA013-005-03	Handle D/K F G-U Brown	14 pcs			
FA014-005-00	Fixing Screw For Window Pvc(Ra-7,5 x 120)	39 pcs			
FA014-009-00	Countersunk Screw For Dirigent (M-5X40)	28 pcs			
FA014-025-00	Self Drilling Screw (A-3,9 x 16)	269 pcs			
FA016-002-02	Glass Support For 2500 7Mm(6300)Wym Black	105 pcs			
FA017-006-03-01	Jonctiune mecanica pt. montant 2510, Maro	28 pcs			
M 03	Debitare armatura	196 op			
M 04	Fixare armatura	98 op			
M 08	Curatare manuala rame, gauri aerisire	28 op			
M 09	Curatare manuala cercevele, gauri aerisire	56 op			
M 10	Manopera feronerie	21 op			
M 11	Debitare baghete geam	168 op			
M 12	Manipulare profile /ml profil	196 op			
M 13	Manipulare baghete geam /ml profil	84 op			
M 14	Taiere geam /perimetru	21 op			
M 15	Lipire termopan	21 op			
M 16	Izolare termopan	21 op			


M 17	Pregatire, incarcare /ochi	7	op				
M 19	Fixare rama /perimetru	7	op				
M 20	Montare geam /geam	21	op				
M 21	Reglare feronerie /ccv	14	op				
M 24	Demontare tamplarie veche, mediu	7	op				
M 27	Manopera 1 min	7	op				
M 28	Debitare PVC - 1 capat	84	op				
M 29	Debitare PVC - 2 capete	98	op				
M 30	Lipire PVC - 1 capat	84	op				
M 34	Frezare montant si fixare	14	op				
SPUMA	Spuma	6.7	tub				



View inner. Opening inner.


Component : 03.F3

Size:	1,000.0 mm x 1,300.0 mm	
Profile System:	S 2500 / Stejar Inchis - Stejar Inchis	
Hardware:	Balkan - PVC - G-U Uni-Jet Ferestre	
Glass:	GT Clar-Clar 4-14-4	
Surface:	1.070	sqm
Quantity:	1	pcs




Subcomponent Element :

Code	Description	Qty	Dimensions	1°	2°	Pos
FP001-004-3522	Toc 5 Camere, 65 mm	1 pcs	1,306.0 mm	35°	45°	Lft
FP006-009-00	Armatura Toc	1 pcs	1,170.1 mm	90°	90°	Lft
FP001-004-3522	Toc 5 Camere, 65 mm	1 pcs	1,006.0 mm	45°	45°	Down
FP006-009-00	Armatura Toc	1 pcs	890.0 mm	90°	90°	Down
FP001-004-3522	Toc 5 Camere, 65 mm	1 pcs	506.0 mm	45°	79°	Rght
FP006-009-00	Armatura Toc	1 pcs	426.3 mm	90°	90°	Rght
FP001-004-3522	Toc 5 Camere, 65 mm	1 pcs	544.5 mm	79°	66°	Rght-Up
FP006-009-00	Armatura Toc	1 pcs	490.0 mm	90°	90°	Rght-Up
FP001-004-3522	Toc 5 Camere, 65 mm	1 pcs	860.4 mm	66°	35°	Up
FP006-009-00	Armatura Toc	1 pcs	749.6 mm	90°	90°	Up
FP003-002-3522	Montant 5 Camere 74 mm	1 pcs	1,047.3 mm	90°	111°	V
FP006-010-00	Armatura Montant 74 mm	1 pcs	993.1 mm	90°	90°	V




Subcomponent Element : A

Code	Description	Qty	Dimensions	1°	2°	Pos
FP002-004-3522	Canat 5 Camere 83 mm	1 pcs	1,215.6 mm	35°	45°	Lft
FP006-008-00	Armatura Toc/Cercevea	1 pcs	1,035.7 mm	90°	90°	Lft
FP002-004-3522	Canat 5 Camere 83 mm	1 pcs	460.0 mm	45°	45°	Down
FP006-008-00	Armatura Toc/Cercevea	1 pcs	308.0 mm	90°	90°	Down
FP002-004-3522	Canat 5 Camere 83 mm	1 pcs	1,045.4 mm	45°	55°	Rght
FP006-008-00	Armatura Toc/Cercevea	1 pcs	912.7 mm	90°	90°	Rght
FP002-004-3522	Canat 5 Camere 83 mm	1 pcs	490.9 mm	55°	35°	Up
FP006-008-00	Armatura Toc/Cercevea	1 pcs	330.3 mm	90°	90°	Up



Subcomponent Element : A

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	328.0 x 1,055.7 mm			
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	1,055.7 mm	35°	45°	Lft
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	328.0 mm	45°	45°	Down
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	932.7 mm	45°	55°	Rght
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	350.3 mm	55°	35°	Up




Subcomponent Element : B

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	438.0 x 1,013.1 mm			
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	1,013.1 mm	35°	45°	Lft
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	438.0 mm	45°	45°	Down
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	446.3 mm	45°	79°	Rght
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	510.0 mm	79°	66°	Rght-Up
FP005-005-3512	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	265.5 mm	66°	35°	Up

Hardware and Accessories

Code	Description	Qty	Dimensions	1°	2°
------	-------------	-----	------------	----	----

FA014-025-00	Self Drilling Screw (A-3,9 x 16)	22	pcs				
FA016-002-02	Glass Support For 2500 7Mm(6300)Wym Black	10	pcs				
FA017-006-03-01	Jonctiune mecanica pt. montant 2510, Maro	2	pcs				
M 01	Debitare unghi variabil	12	op				
M 03	Debitare armatura	20	op				
M 04	Fixare armatura	10	op				
M 08	Curatare manuala rame, gauri aerisire	5	op				
M 09	Curatare manuala cercevele, gauri aerisire	4	op				
M 10	Manopera feronerie	1	op				
M 11	Debitare baghete geam	18	op				
M 12	Manipulare profile /ml profil	20	op				
M 13	Manipulare baghete geam /ml profil	9	op				
M 14	Taiere geam /perimetru	2	op				
M 15	Lipire termopan	2	op				
M 16	Izolare termopan	2	op				
M 17	Pregatire, incarcare /ochi	1	op				
M 19	Fixare rama /perimetru	1	op				
M 20	Montare geam /geam	2	op				
M 21	Reglare feronerie /ccv	1	op				
M 24	Demontare tamplarie veche, mediu	1	op				
M 27	Manopera 1 min	1	op				
M 28	Debitare PVC - 1 capat	9	op				
M 29	Debitare PVC - 2 capete	10	op				
M 30	Lipire PVC - 1 capat	9	op				
M 34	Frezare montant si fixare	1	op				
SPUMA	Spuma	0.7	tub				



View inner. Opening inner.

Component : 04.U1

Size:	1,000.0 mm x 2,500.0 mm	
Profile System:	S 2500 / Alb - Alb	
Hardware:	Balkan - PVC - G-U Uni-Jet Ferestre	
Glass:	GT Clar-Clar 4-14-4; Placa Weiss	
Surface:	2.500	sqm
Quantity:	1	pcs



Subcomponent Element :

Code	Description	Qty	Dimensions	1°	2°	Pos
FP001-004-0000	Toc 5 Camere, 65 mm	1 pcs	2,503.0 mm	45°	90°	Lft
FP006-009-00	Armatura Toc	1 pcs	2,435.0 mm	90°	90°	Lft
FP004-044-02	Prag Aluminiu	1 pcs	854.0 mm	90°	90°	Down
FP001-004-0000	Toc 5 Camere, 65 mm	1 pcs	2,503.0 mm	90°	45°	Rght
FP006-009-00	Armatura Toc	1 pcs	2,435.0 mm	90°	90°	Rght
FP001-004-0000	Toc 5 Camere, 65 mm	1 pcs	1,006.0 mm	45°	45°	Up
FP006-009-00	Armatura Toc	1 pcs	890.0 mm	90°	90°	Up
FP003-002-0000	Montant 5 Camere 74 mm	1 pcs	924.0 mm	90°	90°	H
FP006-010-00	Armatura Montant 74 mm	1 pcs	890.0 mm	90°	90°	H



Subcomponent Element : A

Code	Description	Qty	Dimensions	1°	2°	Pos
FP002-004-0000	Canat 5 Camere 83 mm	1 pcs	460.0 mm	45°	45°	Lft
FP006-008-00	Armatura Toc/Cercevea	1 pcs	308.0 mm	90°	90°	Lft
FP002-004-0000	Canat 5 Camere 83 mm	1 pcs	932.0 mm	45°	45°	Down
FP006-008-00	Armatura Toc/Cercevea	1 pcs	780.0 mm	90°	90°	Down
FP002-004-0000	Canat 5 Camere 83 mm	1 pcs	460.0 mm	45°	45°	Rght
FP006-008-00	Armatura Toc/Cercevea	1 pcs	308.0 mm	90°	90°	Rght
FP002-004-0000	Canat 5 Camere 83 mm	1 pcs	932.0 mm	45°	45°	Up
FP006-008-00	Armatura Toc/Cercevea	1 pcs	780.0 mm	90°	90°	Up



Subcomponent Element : A

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	790.0 x 318.0 mm			
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	328.0 mm	45°	45°	Lft
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	800.0 mm	45°	45°	Down
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	328.0 mm	45°	45°	Rght
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	800.0 mm	45°	45°	Up



Subcomponent Element : B

Code	Description	Qty	Dimensions	1°	2°	Pos
CI-CI 4/16/4	GT Clar-Clar 4-14-4	1 pcs	726.0 x 1,132.3 mm			
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	1,142.3 mm	45°	45°	Lft
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	736.0 mm	45°	45°	Down
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	1,142.3 mm	45°	45°	Rght
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	736.0 mm	45°	45°	Up



Subcomponent Element : BC							
Code	Description	Qty	Dimensions	1°	2°	Pos	
FP002-002-0000	Cercevea Usa , 2 cam., 115 mm, deschidere la interior	1 pcs	1,985.0 mm	45°	45°	Lft	
FP006-003-00	Armatura Cercevea Usa	1 pcs	1,769.0 mm	90°	90°	Lft	
FP002-002-0000	Cercevea Usa , 2 cam., 115 mm, deschidere la interior	1 pcs	932.0 mm	45°	45°	Down	
FP006-003-00	Armatura Cercevea Usa	1 pcs	716.0 mm	90°	90°	Down	
FP004-020-0000	Picurator Seria 2000	1 pcs	860.0 mm	90°	90°	Down	
FP004-039-00	Sina aluminiu pt. fixare 4292	1 pcs	850.0 mm	90°	90°	Down	
FP002-002-0000	Cercevea Usa , 2 cam., 115 mm, deschidere la interior	1 pcs	1,985.0 mm	45°	45°	Rght	
FP006-003-00	Armatura Cercevea Usa	1 pcs	1,769.0 mm	90°	90°	Rght	
FP002-002-0000	Cercevea Usa , 2 cam., 115 mm, deschidere la interior	1 pcs	932.0 mm	45°	45°	Up	
FP006-003-00	Armatura Cercevea Usa	1 pcs	716.0 mm	90°	90°	Up	
FP003-002-0000	Montant 5 Camere 74 mm	1 pcs	750.0 mm	90°	90°	H	
FP006-010-00	Armatura Montant 74 mm	1 pcs	716.0 mm	90°	90°	H	



Subcomponent Element : C							
Code	Description	Qty	Dimensions	1°	2°	Pos	
Weiss	Placa Weiss	1 pcs	726.0 x 602.7 mm				
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	612.7 mm	45°	45°	Lft	
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	736.0 mm	45°	45°	Down	
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	612.7 mm	45°	45°	Rght	
FP005-005-0000	Bagheta ornamentala pt g.t. de 24 mm	1 pcs	736.0 mm	45°	45°	Up	

Hardware and Accessories

Code	Description	Qty	Dimensions	1°	2°	
FA001-023-00	Mechanism Open. 15 mm 801-900 G-U	1 pcs				
FA002-027-00	Stay Arm Tilt U-Jet G-U	2 pcs				
FA003-010-01	Cover For Lower Hinge For Frame G-U White	1 pcs				
FA003-011-01	Cover For Lower Hinge (Left) Sash G-U White	1 pcs				
FA003-013-01	Cover For Upper Hinge Frame U-Jet G-U White	5 pcs				
FA003-014-01	Cover For Stay Arm Hinge U-Jet G-U White	5 pcs				
FA003-021-01	Cover End For 4292 (6222) Wym White	1 per				
FA004-008-00	Door Lock Sec. 28/85/16 R4 G-U	1 pcs				
FA005-001-00	Cylinder Nickel 40/50 mm (91291)	1 pcs				
FA007-022-00	Striker Standard Wymar 2500 G-U	7 pcs				
FA007-027-00	Striker Sec.Wymar 2500 Left G-U	1 pcs				
FA008-013-01	Balama inferioara toc, alba	1 pcs				
FA008-015-00	Lower Hinge For Sash Left U-Jet G-U	1 pcs				
FA008-017-00	Upper Stay Arm Hinge With Axle U-Jet G-U	5 pcs				
FA008-018-00	Tilt. Hinge For Sash U-Jet G-U	4 pcs				
FA008-022-00	Side Hung Sash Hinge U-Jet G-U	1 pcs				
FA010-005-00	Corner Weldable For 5207 (6557) Wym	8 pcs				
FA013-005-01	Handle D/K F G-U White	1 pcs				
FA013-007-01	Handle Monoblock Soprano 85 mm G-U White	1 pcs				
FA014-005-00	Fixing Screw For Window Pvc(Ra-7,5 x 120)	7 pcs				
FA014-009-00	Countersunk Screw For Dirigent (M-5X40)	2 pcs				
FA014-025-00	Self Drilling Screw (A-3,9 x 16)	46 pcs				
FA016-002-02	Glass Support For 2500 7Mm(6300)Wym Black	15 pcs				
FA017-006-01-01	Joint Mech. For 2510 (6955) Wym White	4 pcs				
FA017-008-02	Jonctiune Prag Aluminiu 5933 (6933) Wym Neagra	1 per				
M 03	Debitare armatura	28 op				
M 04	Fixare armatura	14 op				
M 08	Curatare manuala rame, gauri aerisire	3 op				
M 09	Curatare manuala cercevele, gauri aerisire	8 op				

M 10	Manopera feronerie	3	op				
M 11	Debitare baghete geam	24	op				
M 12	Manipulare profile /ml profil	29	op				
M 13	Manipulare baghete geam /ml profil	12	op				
M 14	Taiere geam /perimetru	3	op				
M 15	Lipire termopan	3	op				
M 16	Izolare termopan	3	op				
M 17	Pregatire, incarcare /ochi	1	op				
M 19	Fixare rama /perimetru	1	op				
M 20	Montare geam /geam	3	op				
M 21	Reglare feronerie /ccv	2	op				
M 24	Demontare tamplarie veche, mediu	1	op				
M 27	Manopera 1 min	1	op				
M 28	Debitare PVC - 1 capat	12	op				
M 29	Debitare PVC - 2 capete	13	op				
M 30	Lipire PVC - 1 capat	10	op				
M 34	Frezare montant si fixare	2	op				
SPUMA	Spuma	1.0	tub				