

# Cutting Optimization








Project: OFR06581 - Demo PVC / Date: 12/02/2009  
 Delivery Date: 27/02/2009

## Frame - Window / Door


<b>Code:</b>	<b>FP001-004-0000</b>
<b>Name:</b>	<b>Toc 5 Camere, 65 mm</b>

■	Optimization:	1 bar	Length:	6,000.0 mm	Cutting tolerance:	20.0 mm	Rest: 8.8%	525.0 mm
Component - Position				1°	2°	C	D	Segment Length
	01.Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,456.0 mm
	01.Rght			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,456.0 mm
	04.Lft			45°	90°	<input type="checkbox"/>	<input type="checkbox"/>	2,503.0 mm
■	Optimization:	1 bar	Length:	6,000.0 mm	Cutting tolerance:	20.0 mm	Rest: 17.1%	1,025.0 mm
Component - Position				1°	2°	C	D	Segment Length
	01.Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,206.0 mm
	01.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm
	04.Rght			90°	45°	<input type="checkbox"/>	<input type="checkbox"/>	2,503.0 mm
■	Optimization:	1 bar	Length:	6,000.0 mm	Cutting tolerance:	20.0 mm	Rest: 82.9%	4,974.0 mm
Component - Position				1°	2°	C	D	Segment Length
	04.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,006.0 mm

<b>No of bars:</b>	<b>3 pcs</b>
<b>Total quantity:</b>	<b>18.000 m</b>
<b>Used quantity:</b>	<b>11.336 m</b>
<b>Segment Number:</b>	<b>7 pcs</b>

Code:		FP001-004-3122									
Name:		Toc 5 Camere, 65 mm									
	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.9%</b>	<b>296.0 mm</b>
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	02.Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Rght			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,606.0 mm			
	02.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,606.0 mm			
	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.9%</b>	<b>296.0 mm</b>
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	02.Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Rght			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,606.0 mm			
	02.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,606.0 mm			
	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.9%</b>	<b>296.0 mm</b>
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	02.Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Rght			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,606.0 mm			
	02.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,606.0 mm			
	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.9%</b>	<b>296.0 mm</b>
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	02.Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Rght			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,606.0 mm			
	02.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,606.0 mm			
	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.9%</b>	<b>296.0 mm</b>
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	02.Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Rght			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,606.0 mm			
	02.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,606.0 mm			
	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.9%</b>	<b>296.0 mm</b>
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	02.Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Rght			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,606.0 mm			
	02.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,606.0 mm			
	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.9%</b>	<b>296.0 mm</b>
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	02.Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Rght			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,206.0 mm			
	02.Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,606.0 mm			
	02.Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,606.0 mm			

<b>No of bars:</b>	<b>7 pcs</b>
<b>Total quantity:</b>	<b>42.000 m</b>
<b>Used quantity:</b>	<b>39.368 m</b>
<b>Segment Number:</b>	<b>28 pcs</b>

<b>Code:</b>	FP001-004-3522										
<b>Name:</b>	Toc 5 Camere, 65 mm										
	<b>Optimization:</b>	1 bar	<b>Length:</b>	6,000.0 mm	<b>Cutting tolerance:</b>	20.0 mm	<b>Rest:</b>	82.9%	4,974.0 mm		
<b>Component - Position</b>					<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
03.Down					45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,006.0 mm		
<b>No of bars:</b>				<b>1 pcs</b>							
<b>Total quantity:</b>				<b>6.000 m</b>							
<b>Used quantity:</b>				<b>1.006 m</b>							
<b>Segment Number:</b>				<b>1 pcs</b>							

**Sash - Window**

<b>Code:</b>	<b>FP002-004-0000</b>
<b>Name:</b>	<b>Canat 5 Camere 83 mm</b>


		<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 2.1%</b>	<b>124.0 mm</b>	
		<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	04.A:Lft					45°	45°	<input type="checkbox"/>	<input type="checkbox"/>			460.0 mm	
	04.A:Rght					45°	45°	<input type="checkbox"/>	<input type="checkbox"/>			460.0 mm	
	01.B:Down					45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>			560.0 mm	
	01.B:Up					45°	45°	<input type="checkbox"/>	<input type="checkbox"/>			560.0 mm	
	04.A:Down					45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>			932.0 mm	
	01.B:Lft					45°	45°	<input type="checkbox"/>	<input type="checkbox"/>			1,382.0 mm	
	01.B:Rght					45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>			1,382.0 mm	
		<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 84.1%</b>	<b>5,048.0 mm</b>	
		<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	04.A:Up					45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>			932.0 mm	

<b>No of bars:</b>	<b>2 pcs</b>
<b>Total quantity:</b>	<b>12.000 m</b>
<b>Used quantity:</b>	<b>6.668 m</b>
<b>Segment Number:</b>	<b>8 pcs</b>

Code:	FP002-004-3122										
Name:	Canat 5 Camere 83 mm										
<b>█</b>	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.0%</b>	<b>240.0 mm</b>
	<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	02.A:Rght				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.C:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.C:Lft				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.A:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.A:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
<b>█</b>	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 5.1%</b>	<b>306.7 mm</b>
	<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	02.C:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.C:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
	02.A:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.A:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
	02.A:Rght				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.C:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.C:Lft				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
<b>█</b>	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 6.8%</b>	<b>406.7 mm</b>
	<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	02.C:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.C:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.C:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
	02.C:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
	02.A:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.A:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.A:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.A:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
	02.A:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
	02.A:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
<b>█</b>	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.0%</b>	<b>240.0 mm</b>
	<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	02.A:Rght				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.C:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.C:Lft				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.A:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.A:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
<b>█</b>	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 4.0%</b>	<b>240.0 mm</b>
	<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	02.A:Rght				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.A:Rght				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.C:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.C:Lft				45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
	02.A:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm	
<b>█</b>	<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 6.8%</b>	<b>406.7 mm</b>
	<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	02.C:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.C:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.C:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.C:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
	02.C:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	
	02.A:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.A:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm	
	02.A:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm	

	02.A:Down	45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm
<b>■</b>	<b>Optimization: 1 bar</b>	<b>Length: 6,000.0 mm</b>	<b>Cutting tolerance: 20.0 mm</b>		<b>Rest: 4.0%</b>	<b>240.0 mm</b>	
	<b>Component - Position</b>	<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>	
	02.A:Rght	45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
	02.C:Rght	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
	02.C:Lft	45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
	02.C:Lft	45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
	02.A:Lft	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
<b>■</b>	<b>Optimization: 1 bar</b>	<b>Length: 6,000.0 mm</b>	<b>Cutting tolerance: 20.0 mm</b>		<b>Rest: 4.0%</b>	<b>240.0 mm</b>	
	<b>Component - Position</b>	<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>	
	02.A:Rght	45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
	02.C:Rght	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
	02.C:Rght	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
	02.C:Lft	45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
	02.A:Lft	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,132.0	mm
<b>■</b>	<b>Optimization: 1 bar</b>	<b>Length: 6,000.0 mm</b>	<b>Cutting tolerance: 20.0 mm</b>		<b>Rest: 62.7%</b>	<b>3,762.7 mm</b>	
	<b>Component - Position</b>	<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>	
	02.C:Up	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm
	02.C:Down	45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm
	02.A:Up	45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	539.3	mm
	02.A:Down	45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	539.3	mm

<b>No of bars:</b>	<b>9 pcs</b>
<b>Total quantity:</b>	<b>54.000 m</b>
<b>Used quantity:</b>	<b>46.797 m</b>
<b>Segment Number:</b>	<b>56 pcs</b>


<b>Code:</b>	FP002-004-3522										
<b>Name:</b>	Canat 5 Camere 83 mm										
	<b>Optimization:</b>	1 bar	<b>Length:</b>	6,000.0 mm	<b>Cutting tolerance:</b>	20.0 mm	<b>Rest:</b>	92.0%	5,520.0 mm		
	<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	03.A:Down				45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	460.0 mm		
<b>No of bars:</b>										1 pcs	
<b>Total quantity:</b>										6.000 m	
<b>Used quantity:</b>										0.460 m	
<b>Segment Number:</b>										1 pcs	

**Mullion - Window / Door**

<b>Code:</b>	<b>A3115 a</b>
<b>Name:</b>	<b>Profil PVC</b>

<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>	<b>20.0 mm</b>	<b>Rest: 39.9%</b>	<b>2,396.0 mm</b>	
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>
	01.C:Down			90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	480.0 mm
	01.C:Up			90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	480.0 mm
	01.C:Lft			90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,282.0 mm
	01.C:Rght			90°	90°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,282.0 mm

<b>No of bars:</b>	<b>1 pcs</b>
<b>Total quantity:</b>	<b>6.000 m</b>
<b>Used quantity:</b>	<b>3.524 m</b>
<b>Segment Number:</b>	<b>4 pcs</b>

<b>Code:</b>	FP003-002-0000							
<b>Name:</b>	Montant 5 Camere 74 mm							
	<b>Optimization:</b>	1 bar	<b>Length:</b>	6,000.0 mm	<b>Cutting tolerance:</b>	20.0 mm	<b>Rest:</b>	48.2% 2,892.0 mm
	<b>Component - Position</b>			<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>
	04.BC:H			90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	750.0 mm
	04.ABC:H			90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	924.0 mm
	01.AB:V			90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,374.0 mm
<b>No of bars:</b>				<b>1</b>	<b>pcs</b>			
<b>Total quantity:</b>				<b>6.000</b>	<b>m</b>			
<b>Used quantity:</b>				<b>3.048</b>	<b>m</b>			
<b>Segment Number:</b>				<b>3</b>	<b>pcs</b>			


Code:	FP003-002-3122							
Name:	Montant 5 Camere 74 mm							
■	Optimization: 1 bar	Length: 6,000.0 mm	Cutting tolerance: 20.0 mm		Rest: 4.7%			280.0 mm
	Component - Position		1°	2°	C	D	Segment Length	
	02.ABC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.ABC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.ABC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.BC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.BC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
■	Optimization: 1 bar	Length: 6,000.0 mm	Cutting tolerance: 20.0 mm		Rest: 4.7%			280.0 mm
	Component - Position		1°	2°	C	D	Segment Length	
	02.ABC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.ABC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.BC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.BC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.BC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
■	Optimization: 1 bar	Length: 6,000.0 mm	Cutting tolerance: 20.0 mm		Rest: 23.7%			1,424.0 mm
	Component - Position		1°	2°	C	D	Segment Length	
	02.ABC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.ABC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.BC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm
	02.BC:V		90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	1,124.0	mm

No of bars:	3 pcs
Total quantity:	18.000 m
Used quantity:	15.736 m
Segment Number:	14 pcs

**Glazing Bead - Window / Door**

<b>Code:</b>	<b>FP005-005-0000</b>										
<b>Name:</b>	<b>Bagheta ornamentala pt g.t. de 24 mm</b>										
<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>		<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 0.1%</b>	<b>3.0 mm</b>
<b>Component - Position</b>					<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	04.A:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		328.0	mm
	01.B:Down				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		428.0	mm
	04.C:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		612.7	mm
	04.C:Down				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		736.0	mm
	04.B:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		1,142.3	mm
	01.B:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		1,250.0	mm
	01.A:Lft				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		1,360.0	mm
<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>		<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 0.0%</b>	<b>1.0 mm</b>
<b>Component - Position</b>					<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	01.A:Down				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		538.0	mm
	01.A:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		538.0	mm
	04.C:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		612.7	mm
	04.C:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		736.0	mm
	04.B:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		736.0	mm
	04.B:Down				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		736.0	mm
	04.A:Down				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		800.0	mm
	04.B:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		1,142.3	mm
<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>		<b>Cutting tolerance:</b>				<b>20.0 mm</b>	<b>Rest: 28.9%</b>	<b>1,734.0 mm</b>
<b>Component - Position</b>					<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>		
	04.A:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		328.0	mm
	01.B:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		428.0	mm
	04.A:Up				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		800.0	mm
	01.B:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		1,250.0	mm
	01.A:Rght				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>		1,360.0	mm

<b>No of bars:</b>	<b>3 pcs</b>
<b>Total quantity:</b>	<b>18.000 m</b>
<b>Used quantity:</b>	<b>15.862 m</b>
<b>Segment Number:</b>	<b>20 pcs</b>

<b>Code:</b>	FP005-005-3512											
<b>Name:</b>	Bagheta ornamentala pt g.t. de 24 mm											
	<b>Optimization:</b>	1 bar	<b>Length:</b>	6,000.0 mm	<b>Cutting tolerance:</b>				20.0 mm	<b>Rest:</b>	86.6%	5,194.0 mm
	<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>			
	03.A:Down				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	328.0 mm			
	03.B:Down				45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	438.0 mm			
<b>No of bars:</b>				<b>1 pcs</b>								
<b>Total quantity:</b>				<b>6.000 m</b>								
<b>Used quantity:</b>				<b>0.766 m</b>								
<b>Segment Number:</b>				<b>2 pcs</b>								

**Sash - Inside Opening Door**

<b>Code:</b>	<b>FP002-002-0000</b>
<b>Name:</b>	<b>Cercevea Usa , 2 cam., 115 mm, deschidere la interior</b>

<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,400.0 mm</b>	<b>Cutting tolerance:</b>	<b>20.0 mm</b>	<b>Rest: 7.6%</b>	<b>486.0 mm</b>	
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>
	04.BC:Down			45°	45°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	932.0 mm
	04.BC:Up			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	932.0 mm
	04.BC:Lft			45°	45°	<input type="checkbox"/>	<input type="checkbox"/>	1,985.0 mm
	04.BC:Rght			45°	45°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,985.0 mm

<b>No of bars:</b>	<b>1 pcs</b>
<b>Total quantity:</b>	<b>6.400 m</b>
<b>Used quantity:</b>	<b>5.834 m</b>
<b>Segment Number:</b>	<b>4 pcs</b>

<b>Threshold</b>
------------------

<b>Code:</b>	<b>FP004-044-02</b>
<b>Name:</b>	<b>Prag Aluminiu</b>

<b>Optimization:</b>	<b>1 bar</b>	<b>Length:</b>	<b>6,000.0 mm</b>	<b>Cutting tolerance:</b>	<b>20.0 mm</b>	<b>Rest: 85.4%</b>	<b>5,126.0 mm</b>		
<b>Component - Position</b>				<b>1°</b>	<b>2°</b>	<b>C</b>	<b>D</b>	<b>Segment Length</b>	
04.Down				90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	854.0	mm

<b>No of bars:</b>	<b>1 pcs</b>
<b>Total quantity:</b>	<b>6.000 m</b>
<b>Used quantity:</b>	<b>0.854 m</b>
<b>Segment Number:</b>	<b>1 pcs</b>