

Cutting Quotations

Project: OFR06583 - Demo Lemn Stratificat / Date: 12/02/2009

Delivery Date: 28/11/2007

Nb.	Code	Name	Quantity	Dimensions	1°	2°	C	D	Position
Profiles									
1	DKD4P - Mol	Toc plasa insecte	2 pcs	1,294.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.E:Lft
2	DKD4P - Mol	Toc plasa insecte	2 pcs	1,294.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.E:Right
3	DKD4P - Mol	Toc plasa insecte	2 pcs	1,476.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	04.E:Down
4	DKD4P - Mol	Toc plasa insecte	2 pcs	1,476.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.E:Up
5	IV68/110 04 1 6000 - Mol	Canat Usa T FJ, Bara 6000 mm	1 pcs	964.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.IJ:Down
6	IV68/110 04 1 6000 - Mol	Canat Usa T FJ, Bara 6000 mm	1 pcs	964.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.IJ:Up
7	IV68/110 04 1 6000 - Mol	Canat Usa T FJ, Bara 6000 mm	1 pcs	1,933.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.IJ:Lft
8	IV68/110 04 1 6000 - Mol	Canat Usa T FJ, Bara 6000 mm	1 pcs	1,933.0 mm	90°	90°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	02.IJ:Rght
9	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	3 pcs	1,200.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	01.Down
10	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	3 pcs	1,200.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.Up
11	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	3 pcs	1,450.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.Lft
12	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	3 pcs	1,450.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.Rght
13	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	1 pcs	2,000.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.Down
14	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	1 pcs	2,000.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.Lft
15	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	1 pcs	2,000.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.Rght
16	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	1 pcs	3,141.6 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.Up
17	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	5 pcs	1,000.0 mm	44°	44°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03.Down
18	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	5 pcs	1,570.8 mm	46°	46°	<input type="checkbox"/>	<input type="checkbox"/>	03.Up
19	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	2 pcs	1,380.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.Lft
20	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	2 pcs	1,380.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.Rght
21	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	2 pcs	2,500.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	04.Down
22	IV68/78 01 2 900 - Mol	Toc Fereastră Mobila DKD, Bara 900 mm	2 pcs	2,500.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.Up
23	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bara 900 mm	3 pcs	557.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	01.A:Down
24	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bara 900 mm	3 pcs	557.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.A:Up
25	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bara 900 mm	3 pcs	1,376.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.A:Lft
26	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bara 900 mm	3 pcs	1,376.0 mm	90°	90°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	01.A:Rght
27	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bara 900 mm	5 pcs	926.4 mm	40°	40°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	03.A:Down

Nb.	Code	Name	Quantity	Dimensions	1°	2°	C	D	Position
28	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	5 pcs	1,323.9 mm	43°	43°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	03.A:Up
29	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	2 pcs	755.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	04.B:Down
30	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	2 pcs	755.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.B:Up
31	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	2 pcs	755.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	04.C:Down
32	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	2 pcs	755.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.C:Up
33	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	2 pcs	1,306.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.B:Lft
34	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	2 pcs	1,306.0 mm	90°	90°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	04.B:Rght
35	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	2 pcs	1,306.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.C:Lft
36	IV68/78 02 2 900 - Mol	Canat Fereastră DKD, Bară 900 mm	2 pcs	1,306.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.C:Rght
37	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	3 pcs	1,364.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.AB:V
38	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	445.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.FHL:H
39	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	445.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.FH:H
40	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	445.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.GKM:H
41	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	445.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.GK:H
42	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	446.8 mm	89°	91°	<input type="checkbox"/>	<input type="checkbox"/>	02.BDE:1
43	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	448.5 mm	88°	93°	<input type="checkbox"/>	<input type="checkbox"/>	02.ABDE:1
44	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	449.3 mm	88°	94°	<input type="checkbox"/>	<input type="checkbox"/>	02.DE:1
45	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	780.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.IJ:H
46	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	1,548.2 mm	91°	91°	<input type="checkbox"/>	<input type="checkbox"/>	02.ABCDE:H
47	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	1,914.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	02.ABCDEFGHIJKLM:H
48	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	1,945.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.FGHIJKLM:V
49	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	1 pcs	1,945.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.GIJKM:V
50	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	2 pcs	1,294.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.ABCD:V
51	IV68/78 05 2 900 - Mol	Montant DKD, Bară 900 mm	2 pcs	1,294.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.BCD:V
52	IV68/78 07 1 6000 - Mol	Profil Compensare FJ, Bară 6000 mm	3 pcs	545.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	01.B:Down
53	IV68/78 07 2 1300 - Mol	Profil Compensare DKD, Bară 1300 mm	3 pcs	545.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	01.B:Up
54	IV68/78 07 2 900 - Mol	Profil Compensare DKD, Bară 900 mm	2 pcs	445.0 mm	90°	90°	<input type="checkbox"/>	<input checked="" type="checkbox"/>	04.D:Down
55	IV68/78 07 2 900 - Mol	Profil Compensare DKD, Bară 900 mm	2 pcs	445.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.D:Up
56	IV68/78 09 2 900 - Mol	Inversor DKD, Bară 900 mm	2 pcs	1,270.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	04.BC:1
57	L 90 0	Profil Lacrimar Fereastră	1 pcs	928.0 mm	90°	90°	<input type="checkbox"/>	<input type="checkbox"/>	02.IJ:Down
Glass									
58	334-35	Geam Float 4 mm	1 pcs	767.0 mm x 849.5 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.J
59	52120	Plasa Insecte 120 cm	2 pcs	1,448.2 mm x 1,266.2 mm			<input type="checkbox"/>	<input type="checkbox"/>	04.E
60	CI-CI 4/16/4	GT Clar-Clar 4-14-4	3 pcs	424.0 mm x 1,243.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	01.A

Nb.	Code	Name	Quantity	Dimensions	1°	2°	C	D	Position
61	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	3 pcs	532.0 mm x 1,243.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	01.B
62	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 mm x 598.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.M
63	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 mm x 629.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.F
64	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 mm x 629.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.H
65	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 mm x 598.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.L
66	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 mm x 629.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.K
67	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	432.0 mm x 629.7 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.G
68	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	538.9 mm x 527.6 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.A
69	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	549.2 mm x 599.5 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.E
70	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	710.2 mm x 628.5 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.D
71	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	767.0 mm x 849.5 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.I
72	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	770.0 mm x 642.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.B
73	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	1 pcs	975.7 mm x 476.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	02.C
74	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	5 pcs	782.3 mm x 306.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	03.A
75	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	432.0 mm x 1,281.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	04.A
76	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	432.0 mm x 1,173.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	04.D
77	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	622.0 mm x 1,173.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	04.B
78	Cl-Cl 4/16/4	GT Clar-Clar 4-14-4	2 pcs	622.0 mm x 1,173.0 mm			<input type="checkbox"/>	<input type="checkbox"/>	04.C